

Fabas Luce S.p.a. Via Luigi Talamoni 75, 20861 BRUGHERIO MB - ITALY Tel. +39 039 890691 Fax. +39 039 2142208 info@fabasluce.it - www.fabasluce.it

## **RUBENS 16W ON-OFF**

Adjustable floodlight with adapter for installation on a track, mains voltage for 16W LED source with high efficiency available in Warm or Natural White shades. Excellent color rendering with COB REAL COLOR CRI 97. Built-in electronic ballast in On/Off or DALI versions. The luminaire is made of diecast aluminum and thermoplastic material, it allows a rotation of 350° around the vertical axis and an inclination of 90° with respect to the horizontal plane. Available in white or black in 15°, 28°, 41° optics.

Code	6973-94-564	
Туре	Track spotlight	
Designer	S.T. Fabas Luce	
Eancode	8019282527213	
Customs tariff	94054239	
Color	Black	-
Material	Aluminum frame	I
IP	IP20	
IK	04	$\sim$
Insulation Class		
Operating ambient temperature	-20°C + 30°C	
Years of warranty	5	
Made In	Italy	
Item Dimensions	95mm Ø55mm - 0.38kg	
Packaging Dimensions	200x165x70mm - 0.52kg	<b>1</b>
	Light Source 1	
Light source	LED Built-in	350°
LED Characteristics	СОВ	90°
Light Source Lumen	1312 lm	
Item Lumen	969 lm	
Color Temperature	Natural white 4000 K	
Optics	41°	
Typical CRI	97	- 35
Minimum CRI	90	
Luminous Flux Maintenance	50.000h L80 B10	120° Ganna Angles 130° 130°
Energy Efficiency Class		100
	Electrical specifications 1	x7 x7
Input Voltage	220/240V AC 50/60Hz	
Total Absorbed Power	16W	10 10 10 10 10 10 10 10 10 10 10 10 10 1
Driver	Included	67 <b>100</b> 67
Power Factor	>0,9	
Control System	On/Off	